

Eiff PM, Hatch RL. Fracture Management for Primary Care, 3rd, WB Saunders, Philadelphia 2011. DeLee JC, Drez D Jr. DeLee & Drez's Orthopaedic Sports Medicine: Principles and Practice, 3rd, WB Saunders, Philadelphia 2010. [Sprague S, Madden K, Dosanjh S, et al. Intimate partner violence and musculoskeletal injury: bridging the knowledge gap in orthopaedic fracture clinics. BMC Musculoskelet Disord 2013; 14:23.](#) [Wu V, Huff H, Bhandari M. Pattern of physical injury associated with intimate partner violence in women presenting to the emergency department: a systematic review and meta-analysis. Trauma Violence Abuse 2010; 11:71.](#) [PRAISE Investigators, Sprague S, Bhandari M, et al. Prevalence of abuse and intimate partner violence surgical evaluation \(PRAISE\) in orthopaedic fracture clinics: a multinational prevalence study. Lancet 2013; 382:866.](#) [Benjamin, HJ, Hang, BT. Common acute upper extremity injuries in sports. Clin Ped Emerg Med 2007; 8:15.](#) [Malanga GA, Ramirez-Del Toro JA. Common injuries of the foot and ankle in the child and adolescent athlete. Phys Med Rehabil Clin N Am 2008; 19:347.](#) [Ahn JM, El-Khoury GY. Occult fractures of extremities. Radiol Clin North Am 2007; 45:561.](#) [Joshi N, Lira A, Mehta N, et al. Diagnostic accuracy of history, physical examination, and bedside ultrasound for diagnosis of extremity fractures in the emergency department: a systematic review. Acad Emerg Med 2013; 20:1.](#) [Chan SS. Emergency bedside ultrasound for the diagnosis of rib fractures. Am J Emerg Med 2009; 27:617.](#) [Douma-den Hamer D, Blanker MH, Edens MA, et al. Ultrasound for Distal Forearm Fracture: A Systematic Review and Diagnostic Meta-Analysis. PLoS One 2016; 11:e0155659.](#) [Tuzun HY, Turkkan S, Arsenishvili A. The effectiveness of bedside point-of-care ultrasonography in the diagnosis and management of metacarpal fractures: Contribution for management of metacarpal fractures. Am J Emerg Med 2016; 34:674.](#) [Aksay E, Kilic TY, Yesilaras M, et al. Accuracy of bedside ultrasonography for the diagnosis of finger fractures. Am J Emerg Med 2016; 34:809.](#) [Newton EJ, Love J. Acute complications of extremity trauma. Emerg Med Clin North Am 2007; 25:751.](#) [Mazzola TJ. Splint and casting. In: The Sports Medicine Resouce Manual, Seidenberg PS, Beutler AI \(Eds\), WB Saunders, Philadelphia 2007. p.152.](#) [Hartling L, Ali S, Dryden DM, et al. How Safe Are Common Analgesics for the Treatment of Acute Pain for Children? A Systematic Review. Pain Res Manag 2016; 2016:5346819.](#) [Richards CJ, Graf KW Jr, Mashru RP. The Effect of Opioids, Alcohol, and Nonsteroidal Anti-inflammatory Drugs on Fracture Union. Orthop Clin North Am 2017; 48:433.](#) [Black KJ, Bevan CA, Murphy NG, Howard JJ. Nerve blocks for initial pain management of femoral fractures in children. Cochrane Database Syst Rev 2013; :CD009587.](#) [Choi JJ, Lin E, Gadsden J. Regional anesthesia for trauma outside the operating theatre. Curr Opin Anaesthesiol 2013; 26:495.](#)

[Gorelick PB, Biller J. Lumbar puncture. Technique, indications, and complications. Postgrad Med 1986; 79:257.](#) [The diagnostic spinal tap. Health and Public Policy Committee, American College of Physicians. Ann Intern Med 1986; 104:880.](#) [Vermeulen M, van Gijn J. The diagnosis of subarachnoid haemorrhage. J Neurol Neurosurg Psychiatry 1990; 53:365.](#) [Marton KI, Gean AD. The spinal tap: a new look at an old test. Ann Intern Med 1986; 104:840.](#) [Sternbach G. Lumbar puncture. J Emerg Med 1985; 2:199.](#) [Margarido CB, Mikhael R, Arzola C, et al. The intercrystal line determined by palpation is not a reliable anatomical landmark for neuraxial anesthesia. Can J Anaesth 2011; 58:262.](#) [Chakraverty R, Pynsent P, Isaacs K. Which spinal levels are identified by palpation of the iliac crests and the posterior superior iliac spines? J Anat 2007; 210:232.](#) [Shrestha GS, Acharya SP, Keyal N, et al. Successful lumbar puncture with Taylor's](#)

[approach for the diagnostic workup of meningitis in a patient with Ankylosing spondylitis. Indian J Crit Care Med 2015; 19:618.](#) [Scott M, Stones J, Payne N. Antiseptic solutions for central neuraxial blockade: which concentration of chlorhexidine in alcohol should we use? Br J Anaesth 2009; 103:456; author reply 456.](#) [Hebl JR. The importance and implications of aseptic techniques during regional anesthesia. Reg Anesth Pain Med 2006; 31:311.](#) [Arendt KW, Segal S. Present and emerging strategies for reducing anesthesia-related maternal morbidity and mortality. Curr Opin Anaesthesiol 2009; 22:330.](#) [Greenberg BM, Williams MA. Infectious complications of temporary spinal catheter insertion for diagnosis of adult hydrocephalus and idiopathic intracranial hypertension. Neurosurgery 2008; 62:431.](#) [Sakuragi T, Yanagisawa K, Dan K. Bactericidal activity of skin disinfectants on methicillin-resistant Staphylococcus aureus. Anesth Analg 1995; 81:555.](#) [Guideline for Isolation Precautions: Preventing Transmission of Infectious Agents in Healthcare Settings 2007. Centers for Disease Control and Prevention, 2007.](#) [Schlesinger JJ, Salit IE, McCormack G. Streptococcal meningitis after myelography. Arch Neurol 1982; 39:576.](#) [de Jong J, Barrs AC. Lumbar myelography followed by meningitis. Infect Control Hosp Epidemiol 1992; 13:74.](#) [Schelkun SR, Wagner KF, Blanks JA, Reinert CM. Bacterial meningitis following Pantopaque myelography. A case report and literature review. Orthopedics 1985; 8:73.](#) [Gelfand MS, Abolnik IZ. Streptococcal meningitis complicating diagnostic myelography: three cases and review. Clin Infect Dis 1995; 20:582.](#) [Williams J, Lye DC, Umapathi T. Diagnostic lumbar puncture: minimizing complications. Intern Med J 2008; 38:587.](#) [Ravi KK, Kaul TK, Kathuria S, et al. Distance from Skin to Epidural Space: Correlation with Body Mass Index \(BMI\). J Anaesthesiol Clin Pharmacol 2011; 27:39.](#) [Hirabayashi Y, Matsuda I, Inoue S, Shimizu R. The distance from the skin to the epidural space. J Anesth 1988; 2:198.](#) [Ellenby MS, Tegtmeier K, Lai S, Braner DA. Videos in clinical medicine. Lumbar puncture. N Engl J Med 2006; 355:e12.](#) [Agrawal D. Lumbar puncture. N Engl J Med 2007; 356:424; author reply 425.](#) [Baxter AL, Fisher RG, Burke BL, et al. Local anesthetic and stylet styles: factors associated with resident lumbar puncture success. Pediatrics 2006; 117:876.](#) [Rajagopal V, Lumsden DE. Best BETs from the Manchester Royal Infirmary. BET 4: does leg position alter cerebrospinal fluid opening pressure during lumbar puncture? Emerg Med J 2013; 30:771.](#) [Abel AS, Brace JR, McKinney AM, et al. Effect of patient positioning on cerebrospinal fluid opening pressure. J Neuroophthalmol 2014; 34:218.](#) [Thoennissen J, Herkner H, Lang W, et al. Does bed rest after cervical or lumbar puncture prevent headache? A systematic review and meta-analysis. CMAJ 2001; 165:1311.](#) [Arevalo-Rodriguez I, Ciapponi A, Munoz L, et al. Posture and fluids for preventing post-dural puncture headache. Cochrane Database Syst Rev 2013; :CD009199.](#) [Abel AS, Brace JR, McKinney AM, et al. Practice patterns and opening pressure measurements using fluoroscopically guided lumbar puncture. AJNR Am J Neuroradiol 2012; 33:823.](#) [Eskey CJ, Ogilvy CS. Fluoroscopy-guided lumbar puncture: decreased frequency of traumatic tap and implications for the assessment of CT-negative acute subarachnoid hemorrhage. AJNR Am J Neuroradiol 2001; 22:571.](#) [Conroy PH, Luyet C, McCartney CJ, McHardy PG. Real-time ultrasound-guided spinal anaesthesia: a prospective observational study of a new approach. Anesthesiol Res Pract 2013; 2013:525818.](#) [Shaikh F, Brzezinski J, Alexander S, et al. Ultrasound imaging for lumbar punctures and epidural catheterisations: systematic review and meta-analysis. BMJ 2013; 346:f1720.](#) [Peterson MA, Pisupati D, Heyming TW, et al. Ultrasound for routine lumbar puncture. Acad Emerg Med 2014; 21:130.](#) [Ruff RL, Dougherty JH Jr. Complications of lumbar puncture followed by anticoagulation. Stroke 1981; 12:879.](#) [Baer ET.](#)

[Post-dural puncture bacterial meningitis. Anesthesiology 2006; 105:381.](#) [Reihsaus E, Waldbaur H, Seeling W. Spinal epidural abscess: a meta-analysis of 915 patients. Neurosurg Rev 2000; 23:175.](#)

[McCaig LF, Burt CW. Poisoning-related visits to emergency departments in the United States, 1993-1996. J Toxicol Clin Toxicol 1999; 37:817.](#) [Mowry JB, Spyker DA, Brooks DE, et al. 2014 Annual Report of the American Association of Poison Control Centers' National Poison Data System \(NPDS\): 32nd Annual Report. Clin Toxicol \(Phila\) 2015; 53:962.](#) [Gjersing L, Jonassen KV, Biong S, et al. Diversity in causes and characteristics of drug-induced deaths in an urban setting. Scand J Public Health 2013; 41:119.](#) [Gallagher LM, Kappatos D, Tisch C, Ellis PM. Suicide by poisoning in New Zealand--a toxicological analysis. N Z Med J 2012; 125:15.](#) [Sinyor M, Howlett A, Cheung AH, Schaffer A. Substances used in completed suicide by overdose in Toronto: an observational study of coroner's data. Can J Psychiatry 2012; 57:184.](#) [Susnjara IM, SmoljanoviÄ‡ A, GojanoviÄ‡ MD. Drug related deaths in the Split-Dalmatia County 1997-2007. Coll Antropol 2011; 35:823.](#) [Liu Q, Zhou L, Zheng N, et al. Poisoning deaths in China: type and prevalence detected at the Tongji Forensic Medical Center in Hubei. Forensic Sci Int 2009; 193:88.](#) [Gummin DD, Mowry JB, Spyker DA, et al. 2016 Annual Report of the American Association of Poison Control Centers' National Poison Data System \(NPDS\): 34th Annual Report. Clin Toxicol \(Phila\) 2017; 55:1072.](#) [Albert M, McCaig LF, Uddin S. Emergency department visits for drug poisoning: United States, 2008-2011. NCHS Data Brief, no. 196. Hyattsville, MD: National Center for Health Statistics. 2015.](#) [Burillo-Putze G, Munne P, DueÃ±as A, et al. National multicentre study of acute intoxication in emergency departments of Spain. Eur J Emerg Med 2003; 10:101.](#) [Warner M, Chen LH, Makuc DM et al. Drug poisoning deaths in the United States, 1980-2008. NCHS data brief, no. 81. Hyattsville, MD: National Center for Health Statistics. 2011.](#) [Centers for Disease Control and Prevention \(CDC\). Vital signs: overdoses of prescription opioid pain relievers--- United States, 1999--2008. MMWR Morb Mortal Wkly Rep 2011; 60:1487.](#) [Rudd RA, Aleshire N, Zibbell JE, Gladden RM. Increases in Drug and Opioid Overdose Deaths--United States, 2000-2014. MMWR Morb Mortal Wkly Rep 2016; 64:1378.](#) [Ajdacic-Gross V, Weiss MG, Ring M, et al. Methods of suicide: international suicide patterns derived from the WHO mortality database. Bull World Health Organ 2008; 86:726.](#) [Farrugia LA, Rhyee SH, Calello DP, et al. The Toxicology Investigators Consortium Case Registry-the 2016 Experience. J Med Toxicol 2017; 13:203.](#) [Camidge DR, Wood RJ, Bateman DN. The epidemiology of self-poisoning in the UK. Br J Clin Pharmacol 2003; 56:613.](#) [Hovda KE, Bjornaas MA, Skog K, et al. Acute poisonings treated in hospitals in Oslo: a one-year prospective study \(I\): pattern of poisoning. Clin Toxicol \(Phila\) 2008; 46:35.](#) [Sorge M, Weidhase L, Bernhard M, et al. Self-poisoning in the acute care medicine 2005-2012. Anaesthetist 2015; 64:456.](#) [Bentur Y, Lurie Y, Cahana A, et al. Poisoning in Israel: annual report of the Israel Poison Information Center, 2007. Isr Med Assoc J 2008; 10:749.](#) [Yaylaci S, Genc AB, Demir MV, et al. Retrospective evaluation of patients at follow-up with acute poisoning in Intensive Care Unit. Niger J Clin Pract 2016; 19:223.](#) [Z'gambo J, Siulapwa Y, Michelo C. Pattern of acute poisoning at two urban referral hospitals in Lusaka, Zambia. BMC Emerg Med 2016; 16:2.](#) [Kim K, Choi JW, Park M, et al. A nationwide study of patients hospitalised for poisoning in Korea based on Korea National Hospital Discharge In-Depth Injury Survey data from 2005 to 2009. BMJ Open 2015; 5:e008823.](#) [Erickson TB, Thompson TM, Lu JJ. The approach to the patient with an unknown overdose. Emerg Med Clin North Am 2007;](#)

[25:249. Boyer EW. Management of opioid analgesic overdose. N Engl J Med 2012; 367:146.](#)

[Schabelman E, Kuo D. Glucose before thiamine for Wernicke encephalopathy: a literature review. J Emerg Med 2012; 42:488.](#)

[Tate JR, Nixon PF. Measurement of Michaelis constant for human erythrocyte transketolase and thiamin diphosphate. Anal Biochem 1987; 160:78.](#)

[Soslow AR. Acute drug overdose: one hospital's experience. Ann Emerg Med 1981; 10:18.](#)

[Wright N. An assessment of the unreliability of the history given by self-poisoned patients. Clin Toxicol 1980; 16:381.](#)

[Pohjola-Sintonen S, Kivistö KT, Vuori E, et al. Identification of drugs ingested in acute poisoning: correlation of patient history with drug analyses. Ther Drug Monit 2000; 22:749.](#)

[Linden CH. General considerations in the evaluation and treatment of poisoning. In: Intensive Care Medicine, Rippe JM, Irwin RS, Fink MP, Cerra FB \(Eds\), Little Brown and Company, Boston 1996. p.1455.](#)

[Olson KR, Pentel PR, Kelley MT. Physical assessment and differential diagnosis of the poisoned patient. Med Toxicol 1987; 2:52.](#)

[Yates C, Manini AF. Utility of the electrocardiogram in drug overdose and poisoning: theoretical considerations and clinical implications. Curr Cardiol Rev 2012; 8:137.](#)

[Savitt DL, Hawkins HH, Roberts JR. The radiopacity of ingested medications. Ann Emerg Med 1987; 16:331.](#)

[Kurt TL, Anderson RJ, Reed WG. Rapid estimation of carboxyhemoglobin by breath sampling in an emergency setting. Vet Hum Toxicol 1990; 32:227.](#)

[Taftachi F, Sanaei-Zadeh H, Zamani N, Emamhadi M. The role of ultrasound in the visualization of the ingested medications in acute poisoning - a literature review. Eur Rev Med Pharmacol Sci 2012; 16:2175.](#)

[Nordt SP, Campbell C, Medak A, et al. Ultrasound visualization of ingested tablets: a pilot study. Pharmacotherapy 2011; 31:273.](#)

[Sporer KA, Khayam-Bashi H. Acetaminophen and salicylate serum levels in patients with suicidal ingestion or altered mental status. Am J Emerg Med 1996; 14:443.](#)

[Sorisky A, Watson DC. Positive diphenhydramine interference in the EMIT-st assay for tricyclic antidepressants in serum. Clin Chem 1986; 32:715.](#)

[Brett AS. Implications of discordance between clinical impression and toxicology analysis in drug overdose. Arch Intern Med 1988; 148:437.](#)

[Kellermann AL, Fihn SD, LoGerfo JP, Copass MK. Impact of drug screening in suspected overdose. Ann Emerg Med 1987; 16:1206.](#)

[Hammett-Stabler CA, Pesce AJ, Cannon DJ. Urine drug screening in the medical setting. Clin Chim Acta 2002; 315:125.](#)

[Hawley PC, Falko JM. "Pseudo" renal failure after isopropyl alcohol intoxication. South Med J 1982; 75:630.](#)

[Litovitz TL, Klein-Schwartz W, Rodgers GC Jr, et al. 2001 Annual report of the American Association of Poison Control Centers Toxic Exposure Surveillance System. Am J Emerg Med 2002; 20:391.](#)

[Watson WA, Steele MT, Muelleman RL, Rush MD. Opioid toxicity recurrence after an initial response to naloxone. J Toxicol Clin Toxicol 1998; 36:11.](#)

[Isbister GK, Downes F, Sibbritt D, et al. Aspiration pneumonitis in an overdose population: frequency, predictors, and outcomes. Crit Care Med 2004; 32:88.](#)

[Tran TP, Panacek EA, Rhee KJ, Foulke GE. Response to dopamine vs norepinephrine in tricyclic antidepressant-induced hypotension. Acad Emerg Med 1997; 4:864.](#)

[Buchman AL, Dauer J, Geiderman J. The use of vasoactive agents in the treatment of refractory hypotension seen in tricyclic antidepressant overdose. J Clin Psychopharmacol 1990; 10:409.](#)

[Hollander JE. The management of cocaine-associated myocardial ischemia. N Engl J Med 1995; 333:1267.](#)