

Bartholins Cyst and Hemorrhoids

[Marzano DA, Haefner HK. The Bartholin gland cyst: past, present, and future. J Low Genit Tract Dis 2004; 8:195.](#) [Lee MY, Dalpiaz A, Schwamb R, et al. Clinical Pathology of Bartholin's Glands: A Review of the Literature. Curr Urol 2015; 8:22.](#) [Heller DS, Bean S. Lesions of the Bartholin gland: a review. J Low Genit Tract Dis 2014; 18:351.](#) [Brook I. Aerobic and anaerobic microbiology of Bartholin's abscess. Surg Gynecol Obstet 1989; 169:32.](#) [Tanaka K, Mikamo H, Ninomiya M, et al. Microbiology of Bartholin's gland abscess in Japan. J Clin Microbiol 2005; 43:4258.](#) [Kessous R, Aricha-Tamir B, Sheizaf B, et al. Clinical and microbiological characteristics of Bartholin gland abscesses. Obstet Gynecol 2013; 122:794.](#) [Aghajanian A, Bernstein L, Grimes DA. Bartholin's duct abscess and cyst: a case-control study. South Med J 1994; 87:26.](#) [Lee YH, Rankin JS, Alpert S, et al. Microbiological investigation of Bartholin's gland abscesses and cysts. Am J Obstet Gynecol 1977; 129:150.](#) [Rees E. Gonococcal Bartholinitis. Br J Vener Dis 1967; 43:150.](#) [Wren MW. Bacteriological findings in cultures of clinical material from Bartholin's abscess. J Clin Pathol 1977; 30:1025.](#) [Berger MB, Betschart C, Khandwala N, et al. Incidental Bartholin gland cysts identified on pelvic magnetic resonance imaging. Obstet Gynecol 2012; 120:798.](#) [Omole F, Simmons BJ, Hacker Y. Management of Bartholin's duct cyst and gland abscess. Am Fam Physician 2003; 68:135.](#) [Yuk JS, Kim YJ, Hur JY, Shin JH. Incidence of Bartholin duct cysts and abscesses in the Republic of Korea. Int J Gynaecol Obstet 2013; 122:62.](#) [Hill DA, Lense JJ. Office management of Bartholin gland cysts and abscesses. Am Fam Physician 1998; 57:1611.](#) [Thurman AR, Satterfield TM, Soper DE. Methicillin-resistant Staphylococcus aureus as a common cause of vulvar abscesses. Obstet Gynecol 2008; 112:538.](#) [Sherer DM, Dalloul M, Salameh G, Abulafia O. Methicillin-resistant Staphylococcus aureus bacteremia and chorioamnionitis after recurrent marsupialization of a Bartholin abscess. Obstet Gynecol 2009; 114:471.](#) [Laibl VR, Sheffield JS, Roberts S, et al. Clinical presentation of community-acquired methicillin-resistant Staphylococcus aureus in pregnancy. Obstet Gynecol 2005; 106:461.](#) [Visco AG, Del Priore G. Postmenopausal Bartholin gland enlargement: a hospital-based cancer risk assessment. Obstet Gynecol 1996; 87:286.](#) [Kroese JA, van der Velde M, Morssink LP, et al. Word catheter and marsupialisation in women with a cyst or abscess of the Bartholin gland \(WoMan-trial\): a randomised clinical trial. BJOG 2017; 124:243.](#) [Wechter ME, Wu JM, Marzano D, Haefner H. Management of Bartholin duct cysts and abscesses: a systematic review. Obstet Gynecol Surv 2009; 64:395.](#) [Word B. Office treatment of cyst and abscess of Bartholin's gland duct. South Med J 1968; 61:514.](#) [Haider Z, Condous G, Kirk E, et al. The simple outpatient management of Bartholin's abscess using the Word catheter: a preliminary study. Aust N Z J Obstet Gynaecol 2007; 47:137.](#) [Mathews D. Marsupialization in the treatment of Bartholin's cysts and abscesses. J Obstet Gynaecol Br Commonw 1966; 73:1010.](#) [Reif P, Ulrich D, Bjelic-Radisic V, et al. Management of Bartholin's cyst and abscess using the Word catheter: implementation, recurrence rates and costs. Eur J Obstet Gynecol Reprod Biol 2015; 190:81.](#) [Ozdegirmenci O, Kayikcioglu F, Haberal A. Prospective Randomized Study of Marsupialization versus Silver Nitrate Application in the Management of Bartholin Gland Cysts and Abscesses. J Minim Invasive Gynecol 2009; 16:149.](#) [Mungan T, UÄŸur M, YalÄŸin H, et al. Treatment of Bartholin's cyst and abscess: excision versus silver nitrate insertion. Eur J Obstet Gynecol Reprod Biol 1995; 63:61.](#) [Fambrini M, Penna C, Pieralli A, et al. Carbon-dioxide laser vaporization of the Bartholin gland cyst: a retrospective analysis on 200 cases. J Minim Invasive](#)

[Gynecol 2008; 15:327.](#) [de GÃ³is Speck NM, Belfort PN, Mendes P, et al. Carbon dioxide laser treatment of Bartholin's gland cyst. Clin Exp Obstet Gynecol 2007; 34:50.](#) [Lashgari M, Keene M. Excision of Bartholin duct cysts using the CO2 laser. Obstet Gynecol 1986; 67:735.](#) [Benedetti Panici P, Mancini N, Bellati F, et al. CO2 laser therapy of the Bartholin's gland cyst: surgical data and functional short- and long-term results. J Minim Invasive Gynecol 2007; 14:348.](#) [Davis GD. Management of Bartholin duct cysts with the carbon dioxide laser. Obstet Gynecol 1985; 65:279.](#) [Gennis P, Li SF, Provataris J, et al. Jacobi ring catheter treatment of Bartholin's abscesses. Am J Emerg Med 2005; 23:414.](#) [Rajendran PM, Young D, Maurer T, et al. Randomized, double-blind, placebo-controlled trial of cephalexin for treatment of uncomplicated skin abscesses in a population at risk for community-acquired methicillin-resistant Staphylococcus aureus infection. Antimicrob Agents Chemother 2007; 51:4044.](#) [Llera JL, Levy RC. Treatment of cutaneous abscess: a double-blind clinical study. Ann Emerg Med 1985; 14:15.](#) [Stevens DL, Bisno AL, Chambers HF, et al. Practice guidelines for the diagnosis and management of skin and soft-tissue infections. Clin Infect Dis 2005; 41:1373.](#) [Kohagura K, Sesoko S, Tozawa M, et al. \[A female case of Fournier's gangrene in a patient with lupus nephritis\]. Nihon Jinzo Gakkai Shi 1998; 40:354.](#) [Lopez-Zeno JA, Ross E, O'Grady JP. Septic shock complicating drainage of a Bartholin gland abscess. Obstet Gynecol 1990; 76:915.](#) [Boujenah J, Le SNV, Benbara A, et al. Bartholin gland abscess during pregnancy: Report on 40 patients. Eur J Obstet Gynecol Reprod Biol 2017; 212:65.](#)

IO

[Drinker CK, Drinker KR, Lund CC. The circulation in the mammalian bone marrow. Am J Physiol 1922; 62:1.](#) [FoÃ«x BA. Discovery of the intraosseous route for fluid administration. J Accid Emerg Med 2000; 17:136.](#) [Josefson, A. A new method of treatment - intraossal injections. Acta Med Scand 1934; 81:550.](#) [Tocantins, LM. Rapid absorption of substances injected into the bone marrow. Proc Soc Exp Biol Med 1940; 45:292.](#) [Tocantins LM, O'Neill JF, Jones HW. Infusions of blood and other fluids via the bone marrow: Application in pediatrics. JAMA 1941; 117:1229.](#) [HEINILD S, SONDERGAARD T, TUDVAD F. Bone marrow infusion in childhood; experiences from a thousand infusions. J Pediatr 1947; 30:400.](#) [Valdes MM. Intraosseous fluid administration in emergencies. Lancet 1977; 1:1235.](#) [Berg RA. Emergency infusion of catecholamines into bone marrow. Am J Dis Child 1984; 138:810.](#) [Spivey WH, Lathers CM, Malone DR, et al. Comparison of intraosseous, central, and peripheral routes of sodium bicarbonate administration during CPR in pigs. Ann Emerg Med 1985; 14:1135.](#) [Fiser DH. Intraosseous infusion. N Engl J Med 1990; 322:1579.](#) [Reades R, Studnek JR, Garrett JS, et al. Comparison of first-attempt success between tibial and humeral intraosseous insertions during out-of-hospital cardiac arrest. Prehosp Emerg Care 2011; 15:278.](#) [Ngo AS, Oh JJ, Chen Y, et al. Intraosseous vascular access in adults using the EZ-IO in an emergency department. Int J Emerg Med 2009; 2:155.](#) [Tobias JD, Ross AK. Intraosseous infusions: a review for the anesthesiologist with a focus on pediatric use. Anesth Analg 2010; 110:391.](#) [Blumberg SM, Gorn M, Crain EF. Intraosseous infusion: a review of methods and novel devices. Pediatr Emerg Care 2008; 24:50.](#) [McCarthy G, O'Donnell C, O'Brien M. Successful intraosseous infusion in the critically ill patient does not require a medullary cavity. Resuscitation 2003; 56:183.](#) [Clem M, Tierney P. Intraosseous infusions via the calcaneus. Resuscitation 2004; 62:107.](#) [Levitan RM, Bortle CD,](#)

[Snyder TA, et al. Use of a battery-operated needle driver for intraosseous access by novice users: skill acquisition with cadavers. Ann Emerg Med 2009; 54:692.](#) [Abe KK, Blum GT, Yamamoto LG. Intraosseous is faster and easier than umbilical venous catheterization in newborn emergency vascular access models. Am J Emerg Med 2000; 18:126.](#) [Jun H, Haruyama AZ, Chang KS, Yamamoto LG. Comparison of a new screw-tipped intraosseous needle versus a standard bone marrow aspiration needle for infusion. Am J Emerg Med 2000; 18:135.](#) [Anderson TE, Arthur K, Kleinman M, et al. Intraosseous infusion: success of a standardized regional training program for prehospital advanced life support providers. Ann Emerg Med 1994; 23:52.](#) [Dubick MA, Holcomb JB. A review of intraosseous vascular access: current status and military application. Mil Med 2000; 165:552.](#) [Cooper BR, Mahoney PF, Hodgetts TJ, Mellor A. Intra-osseous access \(EZ-IO\) for resuscitation: UK military combat experience. J R Army Med Corps 2007; 153:314.](#) [Horton MA, Beamer C. Powered intraosseous insertion provides safe and effective vascular access for pediatric emergency patients. Pediatr Emerg Care 2008; 24:347.](#) [Luck RP, Haines C, Mull CC. Intraosseous access. J Emerg Med 2010; 39:468.](#)

NG

[Ferrerias J, Junquera LM, GarcÃa-Consuegra L. Intracranial placement of a nasogastric tube after severe craniofacial trauma. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 2000; 90:564.](#) [BaÅkaya MK. Inadvertent intracranial placement of a nasogastric tube in patients with head injuries. Surg Neurol 1999; 52:426.](#) [AL, L. A new gastroduodenal catheter. JAMA 1921; 76:1007.](#) [Nelson R, Tse B, Edwards S. Systematic review of prophylactic nasogastric decompression after abdominal operations. Br J Surg 2005; 92:673.](#) [Nelson R, Edwards S, Tse B. Prophylactic nasogastric decompression after abdominal surgery. Cochrane Database Syst Rev 2007; :CD004929.](#) [Inman BA, Harel F, Tiguert R, et al. Routine nasogastric tubes are not required following cystectomy with urinary diversion: a comparative analysis of 430 patients. J Urol 2003; 170:1888.](#) [Otchy DP, Wolff BG, van Heerden JA, et al. Does the avoidance of nasogastric decompression following elective abdominal colorectal surgery affect the incidence of incisional hernia? Results of a prospective, randomized trial. Dis Colon Rectum 1995; 38:604.](#) [Yang Z, Zheng Q, Wang Z. Meta-analysis of the need for nasogastric or nasojejunal decompression after gastrectomy for gastric cancer. Br J Surg 2008; 95:809.](#) [Daryaei P, Vaghef Davari F, Mir M, et al. Omission of nasogastric tube application in postoperative care of esophagectomy. World J Surg 2009; 33:773.](#) [Rao W, Zhang X, Zhang J, et al. The role of nasogastric tube in decompression after elective colon and rectum surgery: a meta-analysis. Int J Colorectal Dis 2011; 26:423.](#) [Kunstman JW, Klemen ND, Fonseca AL, et al. Nasogastric drainage may be unnecessary after pancreaticoduodenectomy: a comparison of routine vs selective decompression. J Am Coll Surg 2013; 217:481.](#) [Cheatham ML, Chapman WC, Key SP, Sawyers JL. A meta-analysis of selective versus routine nasogastric decompression after elective laparotomy. Ann Surg 1995; 221:469.](#) [Dennis M, Lewis S, Cranswick G, et al. FOOD: a multicentre randomised trial evaluating feeding policies in patients admitted to hospital with a recent stroke. Health Technol Assess 2006; 10:iii.](#) [Kelly G, Lee P. Nasendoscopically-assisted placement of a nasogastric feeding tube. J Laryngol Otol 1999; 113:839.](#) [Hanson RL. Predictive criteria for length of nasogastric tube insertion for tube feeding. JPEN J Parenter Enteral Nutr 1979; 3:160.](#) [Beckstrand J, Cirgin Ellett ML, McDaniel A. Predicting internal distance to the stomach for positioning nasogastric and](#)

[orogastric feeding tubes in children. J Adv Nurs 2007; 59:274.](#) [Gallagher EJ. Nasogastric tubes: hard to swallow. Ann Emerg Med 2004; 44:138.](#) [Wang PC, Tseng GY, Yang HB, et al. Inadvertent tracheobronchial placement of feeding tube in a mechanically ventilated patient. J Chin Med Assoc 2008; 71:365.](#) [Mandal MC, Dolai S, Ghosh S, et al. Comparison of four techniques of nasogastric tube insertion in anaesthetised, intubated patients: A randomized controlled trial. Indian J Anaesth 2014; 58:714.](#) [Mandal M, Karmakar A, Basu SR. Nasogastric tube insertion in anaesthetised, intubated adult patients: A comparison between three techniques. Indian J Anaesth 2018; 62:609.](#) [Kirtania J, Ghose T, Garai D, Ray S. Esophageal guidewire-assisted nasogastric tube insertion in anesthetized and intubated patients: a prospective randomized controlled study. Anesth Analg 2012; 114:343.](#) [Baskin WN. Acute complications associated with bedside placement of feeding tubes. Nutr Clin Pract 2006; 21:40.](#) [Cohen MD, Ellett M. Quality of communication: different patterns of reporting the location of the tip of a nasogastric tube. Acad Radiol 2012; 19:651.](#) [Ellett ML. What is known about methods of correctly placing gastric tubes in adults and children. Gastroenterol Nurs 2004; 27:253.](#) [Bennetzen LV, HÅ¥konsen SJ, Svenningsen H, Larsen P. Diagnostic accuracy of methods used to verify nasogastric tube position in mechanically ventilated adult patients: a systematic review. JBI Database System Rev Implement Rep 2015; 13:188.](#) [Banerjee TS, Schneider HJ. Recommended method of attachment of nasogastric tubes. Ann R Coll Surg Engl 2007; 89:529.](#) [Burns SM, Martin M, Robbins V, et al. Comparison of nasogastric tube securing methods and tube types in medical intensive care patients. Am J Crit Care 1995; 4:198.](#) [McGuirt WF, Strout JJ. "How I do it"--head and neck. A targeted problem and its solution: securing of intermediate duration feeding tubes. Laryngoscope 1980; 90:2046.](#) [della Faille D, Schmelzer B, Hartoko T, et al. Securing nasogastric tubes in non-cooperative patients. Acta Otorhinolaryngol Belg 1996; 50:195.](#) [Reignier J, Mercier E, Le Gouge A, et al. Effect of not monitoring residual gastric volume on risk of ventilator-associated pneumonia in adults receiving mechanical ventilation and early enteral feeding: a randomized controlled trial. JAMA 2013; 309:249.](#) [Palta S. Nasogastric tube knotting in open heart surgery. Acta Anaesthesiol Scand 1999; 43:790.](#) [Agarwala S, Dave S, Gupta AK, Mitra DK. Duodeno-renal fistula due to a nasogastric tube in a neonate. Pediatr Surg Int 1998; 14:102.](#) [Newton M, Burnham WR, Kamm MA. Morbidity, mortality, and risk factors for esophagitis in hospital inpatients. J Clin Gastroenterol 2000; 30:264.](#) [Metheny NA, Meert KL, Clouse RE. Complications related to feeding tube placement. Curr Opin Gastroenterol 2007; 23:178.](#) [Tawfic QA, Bhakta P, Date RR, Sharma PK. Esophageal bezoar formation due to solidification of enteral feed administered through a malpositioned nasogastric tube: case report and review of the literature. Acta Anaesthesiol Taiwan 2012; 50:188.](#) [Malik NW, Timon CI, Russel J. A unique complication of primary tracheoesophageal puncture: knotting of the nasogastric tube. Otolaryngol Head Neck Surg 1999; 120:528.](#) [Lai PB, Pang PC, Chan SK, Lau WY. Necrosis of the nasal ala after improper taping of a nasogastric tube. Int J Clin Pract 2001; 55:145.](#)

Acute Eye Injuries

[Lima V, Burt B, Leibovitch I, et al. Orbital compartment syndrome: the ophthalmic surgical emergency. Surv Ophthalmol 2009; 54:441.](#) [Traumatic retrobulbar hemorrhage. In: The Wills Eye Manual: Office and Emergency Room Diagnosis and Treatment of Eye Disease, 5th edition,](#)

Ehlers JP, Shah CP (Eds), Lippincott Williams & Wilkins, Philadelphia 2008. p.30. [Sun MT, Chan WO, Selva D. Traumatic orbital compartment syndrome: importance of the lateral canthomy and cantholysis. Emerg Med Australas 2014; 26:274.](#) [Vassallo S, Hartstein M, Howard D, Stetz J. Traumatic retrobulbar hemorrhage: emergent decompression by lateral canthotomy and cantholysis. J Emerg Med 2002; 22:251.](#) Vitreous hemorrhage. In: The Wills Eye Manual: Office and Emergency Room Diagnosis and Treatment of Eye Disease, 5th edition, Ehlers JP, Shah CP (Eds), Lippincott Williams & Wilkins, Philadelphia 2008. p.296. Retina. In: The Wills Eye Manual: Office and Emergency Room Diagnosis and Treatment of Eye Disease, 5th edition, Ehlers JP, Shah CP (Eds), Lippincott Williams & Wilkins, Philadelphia 2008. p.274. Trauma. In: The Wills Eye Manual: Office and Emergency Room Diagnosis and Treatment of Eye Disease, 5th edition, Ehlers JP, Shah CP (Eds), Lippincott Williams & Wilkins, Philadelphia 2008. p.12. [Yu-Wai-Man P, Griffiths PG. Surgery for traumatic optic neuropathy. Cochrane Database Syst Rev 2013; 6:CD005024.](#) [Andrews BT, Jackson AS, Nazir N, et al. Orbit fractures: Identifying patient factors indicating high risk for ocular and periocular injury. Laryngoscope 2016; 126 Suppl 4:S5.](#) [Patel MM, Chee YE, Elliott D. Choroidal rupture: a review. Int Ophthalmol Clin 2013; 53:69.](#) [Papakostas TD, Yonekawa Y, Skondra D, Vavvas DG. Traumatic chorioretinal rupture \(sclopetaria\). Int Ophthalmol Clin 2013; 53:119.](#)